



West African Ornithological Society
Société d'Ornithologie de l'Ouest
Africain



Join the WAOS and support
the future availability of free
pdfs on this website.

<http://malimbus.free.fr/member.htm>

If this link does not work, please copy it to your browser and try again.
If you want to print this pdf, we suggest you begin on the next page (2) to conserve paper.

Devenez membre de la
SOOA et soutenez la
disponibilité future des pdfs
gratuits sur ce site.

<http://malimbus.free.fr/adhesion.htm>

Si ce lien ne fonctionne pas, veuillez le copier pour votre navigateur et réessayer.
Si vous souhaitez imprimer ce pdf, nous vous suggérons de commencer par la page suivante
(2) pour économiser du papier.

The heavy and unusually late rains did not produce more than the normal flooding in the Kano area. Nguru had more flooding early in the season but the level of the lakes in March was not higher than usual (probably an indication of the falling water-table).

Garganey Anas querquedula were more numerous than in 1968/69, but more widespread and therefore difficult to count. The maximum total obtained was of 2,600 at Kirikasama in February. Ferruginous Duck Aythya nyroca were almost as numerous as Garganey and 1,000 birds were counted at Kirikasama in February. Pintail Anas acuta were very scarce, the largest flock observed was 20.

The only other migrant duck species recorded was of a small flock of ca. 20 Common Teal Anas crecca near Kano in November (in an area where they have appeared several times in recent years).

White-faced Whistling Duck Dendrocygna viduata and Fulvous Duck Dendrocygna fulva were absent from the Matara area south of Nguru in December. It appeared that they had moved to the flooded Acacia bush to the north of Nguru. Very large numbers of both these ducks were seen near Kirikasama (ca. 3,000 of each) in February.

The Hottentot Teal Anas punctata explosion continues. Flocks of up to 30 in number were seen near Kano in November and Nguru in December. In Kano on 12th March 1970, a pair were seen with five recently hatched ducklings on a borrow-pit only six acres in size, which is used by a large number of people daily.

R. E. Sharland.

.....

ADDITIONS TO LOCAL AVIFAUNA - IBADAN.

Woolly-necked Stork Ciconia episcopus: A single bird was seen flying over the University of Ibadan Farm at dusk on 6th March 1969, by F. Walsh, R.W. Ashford and R.H.P. J. Elgood, who was observing at a different part of the area also saw the bird.

Icterine Warbler Hippolias icterina: A specimen was collected by the Rockefeller Virus Research Department, University College Hospital, Ibadan on 17th April 1969. The bird was sent to the Zoology Museum, Univ. of Ibadan for identification.

Common Bristle-bill Bleda syndactyla: An immature female bird was caught in dense secondary forest on the University of Ibadan campus on 12th September 1969. The specimen is now in the collections of the Zoology Museum, University of Ibadan.

Gold Coast Spine-tailed Swift Chaetura ussheri: Two live birds were brought to the University of Ibadan Zoo. They were in very poor condition having been flown for some time like kites on the ends of long pieces of string. The owner said he had caught them in a nest in Ibadan.

Ferruginous Duck Aythya nyroca: A bird observed by J.B. Higham, J.P. Goo & R.H.P. on 26th December 1969 at Eloiyale Reservoir.

Roy H. Parker.